

В журнале Вестник РГМУ (июль–август 2018/04, с. 37–44) были допущены ошибки в статье:

ОПЫТ ИСПОЛЬЗОВАНИЯ АНАЛИТИЧЕСКОГО СТЕНДА ДЛЯ ПРОВЕДЕНИЯ АЭРОЗОЛЬНЫХ ИСПЫТАНИЙ В КОНТРОЛИРУЕМЫХ УСЛОВИЯХ

Д. А. Клейменов, Б. И. Вердиев, А. А. Ененко, В. А. Гущин, А. П. Ткачук

✉ Для корреспонденции: Денис Александрович Клейменов
ул. Гамалеи, д. 18, г. Москва, 123098; 10000let@rambler.ru, denis.a.kleyменов@gamaleya.org

Статья получена: 06.08.2018 Статья принята к печати: 31.08.2018

DOI: 10.24075/vrgmu.2018.053

Редакция просит учесть следующие изменения:

	Напечатано:	Должно быть:
с. 37, пункт «Финансирование»	Статья подготовлена при поддержке Министерства здравоохранения Российской Федерации в рамках программы «Национальная система химической и биологической безопасности 2015–2020» и Министерства образования и науки РФ в рамках проекта RFMEFI60117X0018.	Статья подготовлена при поддержке Министерства образования и науки РФ в рамках проекта RFMEFI60117X0018.
с. 37, пункт «Funding»	This work was supported by the Ministry of Health of the Russian Federation as part of the project The National System for Chemical and Biological Security of the Russian Federation (2015–2020) and by the Ministry of Education and Science as part of the project RFMEFI60117X0018.	This work was supported by the Ministry of Education and Science within the framework of the project RFMEFI60117X0018.